

ORIGINAL
FILE

RECEIVED

MAY 11 1992

BEFORE THE

Federal Communications Commission

Federal Communications Commission
Office of the Secretary

WASHINGTON, D. C. 20554

In re Applications of

CRYSTAL CLEAR COMMUNICATIONS, INC.

THE RADIO MINISTRIES BOARD OF VICTORY
CHRISTIAN CENTER ASSEMBLY OF GOD, INC.

For a Construction Permit for a New
FM Station on Channel 240A
Seelyville, Indiana

MM Docket No. 92-62

File No. BPH-901214MA

File NO. BPH-901217MJ

To: Administrative Law Judge John M. Frysiak

PETITION FOR LEAVE TO AMEND

The Radio Ministries Board of Victory Christian Center Assembly of God, Inc. ("Radio Board"), by counsel, hereby petitions for leave to amend its above-referenced application to include the attached environmental assessment. In support thereof, the following is stated:

In the Hearing Designation Order, DA 92-361 (released April 13, 1992) ("HDO"), the Radio Board was ordered to submit to the presiding Administrative Law Judge an environmental assessment addressing how workers engaged in maintenance and repair would be protected from excessive RF exposure. The Radio Board was directed to submit that amendment within 30 days of the release of that order, or by May 13, 1992.

Pursuant to Section 73.3522(b) and the directive of the HDO, the attached amendment is timely filed and addresses the contingent environmental issue specified against Radio Board in the


No. of Copies rec'd 0+6
List A B C D E

HDO. Accordingly, this Petition for Leave to Amend should be GRANTED and the attached amendment ACCEPTED.

Respectfully submitted,

THE RADIO MINISTRIES BOARD OF VICTORY
CHRISTIAN CENTER ASSEMBLY OF GOD, INC.

By 
HARRY C. MARTIN

By 
CHERYL A. KENNY
Its Counsel

Reddy, Begley & Martin
1001 22nd Street, N.W.
Suite 350
Washington, D.C. 20037

May 11, 1992

RECEIVED

MAY 11 1992

Federal Communications Commission
Office of the Secretary

BEFORE THE

Federal Communications Commission

WASHINGTON, D. C. 20554

In re Application of)

THE RADIO MINISTRIES BOARD OF)
VICTORY CHRISTIAN CENTER)
ASSEMBLY OF GOD, INC.)

MM Docket No. 92-62

File No. BPH-901217MJ

For a Construction Permit)
for a new FM Station on)
Channel 240A, Seelyville,)
Indiana)


AMENDMENT

The Radio Ministries Board of Victory Christian Center Assembly of God, Inc. hereby amends its above-referenced application for a new FM Broadcast Station at Seelyville, Indiana to submit the attached statement concerning RF radiation exposure prevention procedures.

Executed this 8th day of May, 1992.

THE RADIO MINISTRIES BOARD OF VICTORY
CHRISTIAN CENTER ASSEMBLY OF GOD, INC.

By



LARRY D. RICHMOND,
Chairman

RF RADIATION EXPOSURE PREVENTION PROCEDURES

The applicant agrees to the following measures which will assure compliance with OST Bulletin No. 65 entitled "Evaluating Compliance with FCC-Specified Guidelines for Human Exposure to Radiofrequency Radiation". A restricted area will be established beginning at a point outside the area where the guidelines may be exceeded, either at ground level or at an elevation above ground level.

MEASURES TAKEN TO PROTECT THE GENERAL PUBLIC:

The center of radiation and bottom bay of the FM antenna is or will be at a height above ground greater than the value listed in Table 1 of OST Bulletin No. 65 and will prevent the exposure of humans to RF radiation levels in excess of the American National Standards Institute guidelines (ANSI C95.1-1982). Appropriate measures, including the posting of warning signs which describe the nature of the hazard, will be or have been taken to preclude casual or inadvertent access to the supporting structure.

MEASURES TAKEN TO PROTECT COMPANY EMPLOYEES AND CONTRACT LABOR:

For personnel whose duties require them to enter the restricted area, the following procedure has been or will be instituted to ensure that exposure to RF radiation levels will not exceed the established guidelines:

The nonionizing RF levels at any particular work location will be determined through measurement to determine their exact value. The time-averaging methods described in the ANSI standard will be applied to limit exposure to working personnel, OR

If the levels are too high for such methods or if the time required to be spent inside the restricted area is larger than would be permissible by the averaging method, all emission of RF energy will cease during the work period to the extent that such RF energy would exceed the ANSI guidelines for any time period.

This policy is or will be posted at the access point to the restricted area. Anyone requiring access to the restricted area who feels the duties to be performed may place them at risk of exposure to unsafe levels of RF radiation should not enter the restricted area and are to immediately contact either the General Manager or the Chief Operator.

CERTIFICATE OF SERVICE

I, Hilary W. Allen, hereby certify that on this 11th day of May, 1992, copies of the foregoing **PETITION FOR LEAVE TO AMEND** were hand delivered or mailed, first class mail, postage prepaid, to the following:


Administrative Law Judge John M. Frysiak *
Federal Communications Commission
2000 L Street, N.W., Room 223
Washington, D.C. 20554

Robert Zauner, Esquire *
Hearing Branch, Mass Media Bureau
Federal Communications Commission
2025 M Street, N.W., Room 7212
Washington, D.C. 20554

Stanley G. Emert, Jr., Esquire
568 E. Broadway Street
Maryville, Tennessee 37950
Counsel for Crystal Clear Communications, Inc.

Chief, Audio Services Division *
Mass Media Bureau
Federal Communications Commission
1919 M Street, N.W.
Room 302
Washington, D.C. 20554

Chief, Data Management Staff *
Audio Services Division
Mass Media Bureau
Federal Communications Commission
1919 M Street, N.W., Room 350
Washington, D.C. 20554



Hilary W. Allen

* HAND DELIVERED